"Super Sexy Spray" PT-141 + Oxytocin (10mg/1000iU) NASAL SPRAY

This nasal spray combines **PT-141** (**Bremelanotide**), a synthetic peptide designed to enhance sexual arousal, with **Oxytocin**, the "bonding hormone," known for promoting social bonding and intimacy. It is formulated to boost both physical and emotional aspects of sexual encounters. PT-141 works by stimulating the central nervous system to enhance libido, while oxytocin helps increase trust and connection between partners. This spray is designed for intranasal use, making it convenient and quick-acting for both men and women.

HOW IT WORKS / MECHANISM OF ACTION

PT-141 (Bremelanotide) stimulates the melanocortin receptors (MC4R and MC1R) in the brain, primarily involved in sexual arousal and libido. Unlike traditional treatments for erectile dysfunction (ED), which focus on blood flow, PT-141 works directly on the nervous system to trigger sexual desire. It's effective in both men and women by acting on central pathways that regulate arousal.

Oxytocin is a neuropeptide that promotes social bonding, trust, and emotional connection. It influences brain regions associated with social behaviors, helping to enhance feelings of intimacy and attachment. When administered intranasally, oxytocin quickly reaches the brain, amplifying emotional responses and improving the overall sexual experience.

BENEFITS

- Enhanced Sexual Arousal and Desire: PT-141 increases sexual desire by directly stimulating the brain's pathways responsible for arousal, providing a "spark" effect rather than forcing physical performance.
- Improved Erectile Function: In men, PT-141 has been shown to improve erectile function by enhancing sexual desire, which can support better performance and satisfaction.
- Boosted Intimacy and Bonding: Oxytocin contributes to heightened feelings of closeness, trust, and emotional connection, creating a more fulfilling sexual experience.
- Versatile Use: Suitable for both men and women, this spray addresses hypoactive sexual desire disorder (HSDD) in women and erectile dysfunction (ED) in men.

HELPS WITH

- Sexual Arousal
- · Libido Boost
- Erectile Dysfunction
- Sexual Desire
- Sexual Health
- Enhanced Intimacy
- Mood Enhancement
- Oxytocin Release
- Bonding Support
- Hypoactive Sexual Desire Disorder (HSDD)

- Trust & Social Connection
- Improved Sexual Satisfaction
- · Relationship Health
- Anti-Anxiety
- Stress Relief
- Emotional Well-Being
- Hormonal Balance
- Energy Boost
- · Blood Flow Improvement
- · Neurotransmitter Support

BOTTLE COST

\$300

BOTTLE DETAILS 10 mg PT-141 100 IU Oxytocin 15 mL per bottle

BOTTLE DURATION:

Each bottle contains approximately 187 sprays, lasting 1-2 months depending on personal usage and frequency.

STORAGE AND SHELF LIFE

- Store in the refrigerator when not in use.
- Can be stored in the freezer for up to 1 year.
- . Shelf life of 3 months when refrigerated.

CONTRAINDICATIONS

- Active Heart Disease: Individuals with cardiovascular conditions should consult with a healthcare provider before use.
- Pregnant or Breastfeeding Women: The safety in this population has not yet been established.
- History of Stroke or Heart Attack: Individuals with a history of stroke or heart attack should only use this spray under medical supervision.

EXPECTED EFFECTS

Within 15-30 minutes, most users experience a warm, flushed feeling accompanied by a noticeable increase in sexual arousal and desire. The sensation is often described as a "spark" or wave of excitement that begins in the brain and may lead to tingling sensations in the body. Oxytocin enhances feelings of closeness, trust, and emotional intimacy.



INSTRUCTIONS

HOW TO USE

- 1. Shake the bottle gently before use.
- 2. Remove cap and hold the bottle upright.
- 3. Insert the nozzle into one nostril, close the other nostril, and press down on the pump to spray.
- Administer 1-2 sprays per nostril
 15-30 minutes before sexual activity.
- 5. Breathe gently through the nostril after each spray to ensure absorption.
- 6. Wipe the nozzle after use and replace the cap.
- 7. Store in the fridge until next use.

DOSING:

1-2 sprays per nostril0.8 mg PT-141 per spray10 IU Oxytocin per spray

TIMING:

15-30 minutes before sexual activity

FREQUENCY:

Use only as needed.

POTENTIAL SIDE EFFECTS

- Flushing: Approximately 40% of users report temporary flushing of the face, neck, or chest.
- Headaches: Around 20% of users may experience mild to moderate headaches.
- Nasal Irritation: Some users may experience nasal irritation, including temporary dryness, itching, or congestion.
- Nausea: About 10-15% of users report nausea, which usually subsides within a few hours.
- Dizziness or Fatigue: Occasional dizziness or fatigue has been reported, usually mild and short-lived.

TIPS TO REDUCE SIDE EFFECTS

- Start with a Lower Dose: Begin with 1 spray per nostril to assess tolerance, then gradually increase to the recommended dose.
- Maintain Nasal Hydration: Use a saline nasal spray to moisturize nasal passages and reduce dryness or irritation.
- Stay Hydrated: Drink water before and after administration to reduce flushing and headaches.
- Space Out Use: If using more than one spray, wait a few minutes between sprays to allow for better absorption and reduced side effects.

Please contact us if you experience any of the following:

- Fever of 100.4°F (38°C) or higher.
- Persistent nasal irritation or burning sensation that doesn't improve.
- Severe headache, dizziness, nausea, or breathing difficulties.

If you have any questions, please message your healthcare provider through the patient portal or contact us at **646-596-7386**.